

# The role of colour preattentive processing in human–computer interaction task efficiency: A preliminary study<sup>☆</sup>

R. Michalski\*, J. Grobelny

*Faculty of Computer Science and Management (W8), Institute of Organization and Management (I23), Wrocław University of Technology,  
27 Wybrzeże Wyspiańskiego, 50-370 Wrocław, Poland*

Received 26 January 2007; received in revised form 13 November 2007; accepted 21 November 2007  
Available online 9 January 2008

## Abstract

In this paper, results of experimental research on the preattentive mechanism in the human–computer interaction (HCI) were presented. Fifty-four subjects were asked to find interface elements from various panel structures. The arrangements were differentiated by their orientation (vertical, horizontal), colour pattern (ordered, unordered) and object background colours (green–blue, green–red, blue–red). The main finding of the study generally confirms the profits provided by the visual preattentive processing of the colour feature in graphical panel operation efficiency. However, the vertical way of arranging the items in search layouts resulted in decreasing the preattentive effect related to the item background colour. In regular, chessboard-like patterns of different coloured items, the effect of the early vision was less salient than in the case of structures with randomly dispersed colours. The reported results can help in designing efficient graphical user–computer interfaces in many interactive information systems.

© 2007 Elsevier B.V. All rights reserved.

*Keywords:* Visual preattentive processing; Human–computer interface design; Graphical objects; Dialogue windows; Search task efficiency

## 1. Introduction

The term preattentive visual information processing was introduced in the early 1980s of the 20th century by Treisman (1982). Many studies showed that there is a limited set of features that seem to be processed in parallel and appear to be able to guide the deployment of attention. The preattentive mechanism constructs some kind of meta-objects on the basis of basic features. These objects work as a guide for the human attention during the serial phase of visual searching tasks. The factors considered to invoke the preattentive procedure include, for instance, colour, motion, orientation, pattern or shape of the perceived objects. On the other hand, there are of course some features that are not associated with the preattentive process. For example, Wolfe and DiMase (2003) showed

that the line intersections probably cannot be regarded as such a feature. A broad range of attributes that might guide the deployment of attention were presented and grouped by the likelihood of their occurrence by Wolfe and Horowitz (2004). The latest research of Bichot et al. (2001, 2005) showed that preattentive mechanisms can be observed on the neurophysiological level—in the cerebral cortex. In their experiments, a macaque monkey was made to learn to choose coloured objects from a set of various distractors. The activation of different layers of visual cortex neural cells was recorded. Two separate phases were recognised in the activation plots. The first connected with colour identification during preattentive processing and the second attributed to the moment of finding the searched figure. The role of the preattentive processing is undoubtedly important in many day-to-day activities and, of course, is of great significance in the field of human–computer interaction (HCI). Some of the screen design recommendations proposed in the form of well-known Gestalt theory laws (Change et al., 2002) such as proximity, similarity or closure are related to display attributes that have the early vision nature. In the presented study we

<sup>☆</sup> Presented in part at the XXnd International Seminar of Ergonomics Teachers, Miedzyzdroje, Poland, 2006.

\*Corresponding author. Tel.: +48 71 348 50 50; fax: +48 71 320 34 32.  
E-mail addresses: [Rafal.Michalski@pwr.wroc.pl](mailto:Rafal.Michalski@pwr.wroc.pl) (R. Michalski),  
[Jerzy.Grobelny@pwr.wroc.pl](mailto:Jerzy.Grobelny@pwr.wroc.pl) (J. Grobelny).

focus on the human–computer dialogue style named direct manipulation and its ‘point and click’ method (Shneiderman, 1982, 1983). Naturally, this method involves very often visual search for the specific item. Pointing various graphical elements on the screen and confirming (usually by clicking) the execution of a given activity requires the use of one of the available peripheral devices, such as light pens, joysticks, touch screens or computer mice (Greenstein and Arnaut, 1988). Until now the direct manipulation performed by means of the computer mouse is probably one of the most popular ways of interacting with computers. This interaction style is used by millions of users in many operating systems all over the world.

## 2. Related research

The research concerned with the human performance in a direct manipulation interaction style, where arrangements of graphical objects are presented, may be divided into three main trends (Michalski et al., 2006). The first one includes investigations of the movement time in the ‘point and click’ method. In this case, the user selects a given, constantly visible, graphical object by means of a pointing device. These types of studies do not take into account the process of searching for an item and the measured time reflects only the visually controlled motor activity. The research in this area started in the 1960s (e.g., English et al., 1967). In the 1970s, the classical Fitts (1954) law was used to describe the process of pointing graphical objects on the computer screen (Fitts and Peterson, 1964). A comprehensive review of Fitts law application for various pointing devices has been presented by MacKenzie (1991, 1992) and later by Plamondon and Alimi (1997). The works in this trend are still conducted in standard and new interaction styles, for instance, Murata and Iwase (2001) or Soukoreff and MacKenzie (2004).

In subsequent studies, it was ascertained that the Fitts law was insufficient for explaining the results related to the process of choosing items on a computer screen and that cognitive components should also be taken into consideration (Card et al., 1983). In the second trend, the subjects had to find a particular graphical object among the group of distractors in changing circumstances. These investigations did not require the participant to point the specified element. Many works were published in this field; however, one of the first focused on graphical interface features was conducted by Backs et al. (1987). They asked the users to find a target object in various vertical and horizontal menus and report an associated numerical value. Other investigations regarded the visual search within randomly generated alphabetic arrays (Scott and Findlay, 1991), the effect of icon presence and their grouping on the process of searching a file (Niemelä and Saarinen, 2000) or the spatial menu layout in web pages and its impact on the visual search performance (Schaik and Ling, 2001). Also some studies were carried out by means of eyeball tracking systems. Näsänen et al. (2001b) analysed visual search

times of Latin characters arranged in a square matrix, depending on the element’s contrast and matrix size. In turn, Näsänen and Ojanpää (2003) investigated the effects of graphical object contrast and sharpness on the speed of searching for a specified icon.

The third area of research is a combination of the first two groups. This time the experimental task involves graphical object identification and selection by pointing and clicking on the desired item. The studies related to movement time and visual search proved that the relationship between these two factors is not always of additive nature (Hoffmann and Lim, 1997). In the HCI field this type of research is not very popular. Probably the first studies concerned with various design configurations and efficiency measures including simultaneous visual search and movement time were presented by Deininger (1960). He investigated the performance of keying telephone numbers using various layouts of numerical dialling keys. Succeeding studies on keying in physical and virtual keypads or keyboards were reviewed in detail by Kroemer (2001). The research on choosing virtual graphical objects from a group was most likely initiated by Drury and Hoffmann (1992). Many aspects of the virtual keyboards were later also analysed by various researchers (e.g., Sears et al., 1993; MacKenzie and Zhang, 1999; Lee and Zhai, 2004; Li et al., 2006). Apart from the keypad and keyboard studies, there was also some research focused directly on graphical computer interface features such as the menu orientation (Shih and Goonetilleke, 1998), functional icon grouping (Goldberg and Kotval, 1999), the way of symbols coding (Ramakrishnan et al., 1999) or the icon border type and quality (Fleetwood and Byrne, 2002). The article published by Michalski et al. (2006) is one of the latest works in this area. The authors examined the influence of a number of geometrical parameters of the 42 graphical structures on the efficiency of the ‘point and click’ method.

In all of the trends, the user performance can be assessed by registering the time required to complete the task and a number of incorrect selections.

## 3. Research objectives

The present investigation can be placed in the trend of research related to both movement time and visual search tasks in human–computer communication. In previous studies it was shown that the Fitts formula is inadequate in this type of search tasks and other factors such as geometrical features of the panels may substantially influence the user operation efficiency (Grobelny et al., 2005; Michalski et al., 2006). Although it is well known that the searching process may be improved by preattentive activities, we had great difficulties in finding HCI publications explicitly dealing with this perceptual mechanism. Therefore, the main purpose of this study was to find consequences of the colour and colour pattern as preattentive factors in the searching and clicking on the object in the computer graphical interface. Additionally,

we wanted to check whether panel orientation (POR) effect influences the efficiency of searching and clicking a colourful object.

We used standard graphical buttons that are identical to those included in various computer programs and arranged the analysed graphical objects into groups typically employed in many applications. In previous visual search studies the stimuli were presented differently. On the one hand, charts or displays occupying significant part of the visual field were used (e.g., Scott and Findlay, 1991; Murata and Furukawa, 2005; Park et al., 2006) and on the other hand the search was performed within the visual lobe (e.g., Pashler, 1987; Klein and Farrell, 1989). On the basis of such investigations, it is rather hard to draw direct conclusions or predict how the people will behave in situations characteristic of HCI. In this paper, the searching area is limited to dimensions and arrangements of typical toolbars and in this sense the experimental tasks are considerably closer to real HCI conditions.

We decided to use letters and numbers instead of meaningful icons for two basic reasons. Firstly, the letters and numbers are widely known and equally easily recognisable by almost any possible computer user. If we had used a set of icons from a real software, the obtained results could have been influenced by the fact that some subjects would be more familiar with them than other users. Secondly, the chosen graphical objects can be found in a real computer program as virtual keyboards. They are becoming more and more popular not only as a support for disabled computer users but also as one of the main input tools in Internet kiosks or small devices such as palmtops, mobile phones, etc.

We studied the mouse pointing process along with preattentive visual search which usually did not take place in previous studies. The earlier studies in this field quite often did not use pointing devices at all, even if they were carried out by means of the computer display. The investigators used, for instance, a keyboard to confirm the accomplishment of a task (Niemelä and Saarinen, 2000; Sears et al., 2001; Schaik and Ling, 2001; Liu et al., 2002; Pearson and Schaik, 2003; Al-Harkan and Ramadan, 2005) or an external device with a reaction button (Backs et al., 1987; Murata and Furukawa, 2005). Sometimes the researchers used the computer mouse to click on one specific confirmation button (e.g., OK) instead of pointing the searched graphical item (e.g., Näsänen et al., 2001a, b; Lindberg and Näsänen, 2003; Näsänen and Ojanpää, 2003). There were some studies in the HCI field, in which search and click methods were employed (e.g., Shih and Goonetilleke, 1998; Goldberg and Kotval, 1999; Fleetwood and Byrne, 2002; Hornof, 2004), but as far as we are aware none of the papers were concerned with typical toolbar arrangements and colour preattentive processing. From the diversity of the above procedures there comes up a question whether the inclusion of the pointing devices such as computer mice, light pens, styluses considerably

influences the typical toolbar search results. There are some premises that this could take place. Namely, it has been observed that the same areas of the human brain are activated during manual response and preparing the saccade movement (Wurtz et al., 1982; Kustov and Robinson, 1996; Colby and Goldberg, 1999). These studies' results suggest that there maybe some interaction between hand movement and visual search and it can influence the HCI process as a whole. Similar conclusions may be drawn from the series of experiments on concurrent decision and movement tasks carried out by Hoffmann and Lim (1997). The authors showed that the manual-decision tasks are complex and therefore it is justified to investigate both conditions at the same time. Thus, it seems also to be useful to analyse simultaneously finding and clicking objects in graphical toolbars with the control of the colour visual preattentive processing effect.

## 4. Method

### 4.1. Participants

Overall, 54 students of Computer Science and Management Faculty from the Wrocław University of Technology participated in the experiments. All reported having a normal or corrected to normal visual acuity. The subjects were at the age of 19–25 (mean = 23.4, standard deviation (SD) = 0.998) and all attended the full-time Master's program. There were fewer male participants (17 subjects, 31%) than females (37 subjects, 69%). Almost all (93%) of the volunteers worked with computers on a daily basis, the rest at least several times a week. All of the users spent more than 2 h a day at a computer and there were even six people (11%) who spent more than 10 h a day. The number of hours per day working with computers included only the time spent on actively using the software. Activities such as watching TV on the computer screen or listening to music being played were not taken into consideration.

### 4.2. Apparatus

A special software similar to the one utilised in the work of Michalski et al. (2006) was prepared and used to conduct the experiments. The program was developed in a MS Visual Basic<sup>TM</sup> 6.0 environment and was based on a relational MS Access<sup>TM</sup> database. The database was used to store experimental information required for further analysis such as acquisition times or errors made by subjects. The gathered data could be easily transferred to computer applications supporting statistical analysis (e.g., SPSS<sup>TM</sup>, Statistica<sup>TM</sup>) by means of Open DataBase Connectivity technology. The research was carried out in teaching laboratories on uniform personal computers equipped with identical optical computer mice and 17 in monitors of the CRT type. The computer screen resolution was set at 1024 × 768 pixels and default computer mouse parameters were set.

4.3. Independent variables

Three independent variables differentiating the analysed graphical object structures were manipulated: the object background colour (OBC), panel colour pattern (PCP) and POR.

Graphical OBC was chosen because the colour is one of the most important and undisputed component of early vision processing (Wolfe and Horowitz, 2004). Three different basic colours were employed: red, green and blue. The red and blue were chosen as extreme wavelengths from the visible spectrum and the green as an intermediate value. Moreover, they are well-known primary colours and the various combinations of the three components are used to reproduce other colours in the, so-called, RGB additive colour model (Wright, 1928; Guild, 1931). These colours are quite often used in various studies (e.g., Bichot et al., 2001; Liu et al., 2002; Ojanpää and Näsänen, 2003; Pearson and Schaik, 2003; Li et al., 2007). In this study they were used in pairs: red–blue (RB), red–green (RG) and green–blue (GB).

Two different PCPs were employed. The first one was ordered (OR) and is similar to a chessboard and the second one unordered (UO) where two colours are mixed at random. By including the PCP factor into our research, we wanted to check whether there are any discrepancies in the acquisition times when the pattern differs. In other words, we wanted to know if the colour preattentive processing depends on the way of the coloured object arrangement within the given panel. The answer for this question seems to be especially important for the practitioners and GUI designers.

Two PORs were designed as typically used in the graphical interfaces: horizontal (H) and vertical (V). The POR variable was used mainly from practical reasons as in the contemporary computer programs the vertical and horizontal configurations of graphical objects are very common. Though this variable was already studied, the results were ambiguous (Deininger, 1960; Backs et al., 1987; Scott and Findlay, 1991; Shih and Goonetilleke, 1998; Schaik and Ling, 2001; Pearson and Schaik, 2003; Grobelny et al., 2005). Additionally, the selection of this factor allowed for comparing the obtained results directly with similar but grey panels examined by Michalski et al. (2006).

4.4. Dependent measures

Two dependent variables were recorded, the operation time and the number of errors made. The time was computed from when the START button was pressed, to when the given graphical object was selected. The error occurred when the participant pointed different than the required item. The user did not receive immediate feedback about the mistake. The information about the average acquisition times and number of faults was only shown after every 10 tasks were completed.

4.5. Experimental design

The mix of the three independent factors produced 12 different cases of searched panels: (three OBCs) × (two PCPs) × (two PORs). A standard mixed model design (between and within subjects) was used to investigate all of the 12 sets of objects. The POR was treated as a between factor, whereas the other two variables: PCPs and background colours of items were tested within. The volunteers were randomly divided into two groups. One group consisting of 28 persons examined only horizontal panels, the second (26 subjects)—the vertical ones. All of the analysed panels consisted of 36 identical buttons (Fig. 1). Graphical objects representing 26 Latin alphabet characters and 10 Arabic numbers were placed on these buttons. The bold Times New Roman font type in a size of 12 pt was employed. The numbers from 1 to 10 were utilised in order to avoid potential mistakes between the O character and a 0 (zero) digit. The standard square buttons used in Microsoft® operating systems were employed. The side button size in TWIPs (at 1024 × 768 screen resolution, one pixel amounts to 15 TWIPs), pixels, millimetres and visual angle amounted to 330, 22, 6, 0°41', respectively. These types of elements are commonly utilised in many computer programs, e.g., in a popular MS Office™ package. The choice of a square shape of elements was based on the findings that the square items are better operated on the computer screen than rectangular shapes (Martin, 1988). The subjects were asked to select a graphical item from a panel containing randomly placed buttons. The investigated arrangements were located in the upper left screen corner and were moved away from the screen edges by 270 TWIPs in order to minimise the effect of easier selection of items placed on the external borders of the sets. The distance between the screen border and the panels was equalled to the height of the top title bar used in




Fig. 1. Exemplary panel configurations examined in the experiment.



most Microsoft® operating systems dialogue windows. The whole graphical structure was visible exclusively during the visual search process. The effects of learning were not examined. The direct manipulation tasks were executed by means of a standard computer mouse. The distance between the user and the computer monitor was set approximately at 50 cm. The visual angles of the examined horizontal layouts were  $12.9^\circ \times 1.4^\circ$  and for vertical ones— $1.4^\circ \times 12.9^\circ$ .

#### 4.6. Procedure

The employed procedure was similar to the one used in the work of Michalski et al. (2006). The subjects were informed about the purpose and a detailed range of the study. The study began by filling out a questionnaire regarding personal data and computer literacy. Just before the experiment, each subject executed test tasks that were not recorded. Attemptive trials were performed until the user stated that he was ready to start the real tasks. Then a dialogue window appeared with a graphical object, a START button, and an order of searching a specified object—and at this moment the tested graphical panel was not visible. When a user clicked the START button, the instruction window disappeared and one of the examined structures was shown. Subjects were to find and select the earlier presented graphical object as quick as possible. The START button appeared for each trial, so every time the participant had to click START first and then the searched item. During the experiments, only research software was available and visible, and clicking anything else than the START button produced a message box with guiding information. Volunteers were allowed to use only a computer mouse during the efficiency test. All other input devices were programatically disabled. For every single panel arrangement, there were 10 execution orders with a randomly chosen button. Once shown, an element could appear again. The order of presenting an individual group of items was set at random for every user. The location of every graphical object within the given panel was also randomly specified. Information about obtained mean acquisition times and the number of incorrect attempts was shown every 10 trials.

## 5. Results

### 5.1. Descriptive statistics

The basic descriptive parameters of the dependent variable were grouped into three main categories: central tendency measures, variability measures and shape characteristics and are presented in Tables 1–3. The data in Table 1 show that the median and mean values differ considerably one from another. The mean is as much as 22% bigger than the median value. In the case of the Gaussian distribution, these three parameters should be comparable. Also the calculated skewness (4.31) and the

Table 1  
Central tendency measures of acquisition times

Central tendency measures	
Mean (ms)	2118
Geometric mean (ms)	1820
Harmonic mean (ms)	1615
Median (ms)	1743

Table 2  
Variability measures of acquisition times

Variability measures	
Minimum (ms)	609
Maximum (ms)	28 579
Standard deviation (ms)	1478
Variance ((ms) <sup>2</sup> )	2 185 245
Variability coefficient (%)	70

Table 3  
Shape characteristics of acquisition times

Shape characteristics	
Skewness	4.31
Kurtosis	42.5

kurtosis values (42.5) were noticeably different from these parameter values characteristic of the normal distribution. The positive sign of the skewness denotes that most of the variate values are located on the left-hand side of the distribution and the large kurtosis value estimated from the sample suggests that the probability density distribution in this case is markedly less dispersed than the normal distribution.

The main statistical characteristics of ‘search and point’ times obtained for all experimental conditions are presented in Table 4. From these results, it may be noticed that characteristics for individual examined panels are very similar in their structure to the parameter computed for the whole acquisition time variate.

The presented data showed that the horizontal UO configuration consisting of items in red and blue (1908 ms) was operated the fastest. The worst mean results were obtained for the OR vertical arrangements containing red and blue objects (2343 ms). The percentage discrepancy between the best and the worst result was equal to 23%. The statistical significance of differences between the independent variables is analysed in the next section.

### 5.2. Analysis of variance

Taking into account the descriptive characteristics of the acquisition time distribution presented in the previous section, especially big values of the skewness and kurtosis,

Table 4  
Acquisition times characteristics for individual panels

No.	Panel type	<i>N</i>	Median (ms)	Mean (ms)	Standard error (ms)	Standard deviation (ms)	Minimum (ms)	Maximum (ms)
1.	H_OR_GB	276	1679	2238	103	1718	688	11 750
2.	H_OR_RB	275	1579	2059	126	2097	625	28 579
3.	H_OR_RG	276	1649	1940	68	1130	625	9422
4.	H_UO_GB	275	1625	2077	97	1602	703	12 437
5.	H_UO_RB	278	1594	1908	75	1243	609	13 360
6.	H_UO_RG	274	1625	1979	76	1258	640	10 125
7.	V_OR_GB	257	1875	2289	89	1428	703	10 313
8.	V_OR_RB	258	1938	2343	89	1430	719	10 204
9.	V_OR_RG	258	1875	2331	103	1657	625	15 188
10.	V_UO_GB	255	1734	2052	71	1135	656	7610
11.	V_UO_RB	259	1766	2055	77	1233	718	7672
12.	V_UO_RG	259	1875	2177	88	1420	703	11 157

all of the analyses of variance were conducted by means of the generalised linear models (GZLM). It was also assumed that the dependent variable has the inverse Gaussian (IG) distribution. The GZLM was first defined by Nelder and Wedderburn (1972), and as opposed to general linear models (GLM), do not require a dependent variable to have a normal distribution. Additionally, the assumption about constant variance of a random component need not be met. The GZLM incorporate an analysis of variance and require statistical distribution of a dependent variable to belong to a natural exponential family of distributions. In the work of Michalski (2005), it was shown that the hypothesis about the IG character of the acquisition time empirical distribution for the types of graphical structures comparable with that examined in this study cannot be rejected.

A three factorial analysis of variance based on the GZLM was employed for assessing the effects of the graphical OBC, the PCP and the POR. The results of the ANOVA are shown in Table 5.

According to the obtained results, the effects of POR and PCP were statistically significant, whereas the OBC had no meaningful impact on the obtained acquisition times. The basic statistics related to these factors are presented in Tables 6 and 7 and illustrated in Fig. 2. Because of the different than normal character of the dependent variate, minima, maxima and medians were also included. The means depending on the POR were lower for horizontal arrangements than for vertical ones and the difference amounted to 175 ms (8.6%). The analysis indicated also that UO layouts were operated better by 7.7% (157 ms) than OR structures.

From among the possible interactions in the ANOVA, only the interaction of (POR) × (OBC) was significant. Detailed results are shown in Table 8 and Fig. 3. It can be observed that within the given panel background colours, the means for the POR effect were similar only in the case of GB level—merely 14 ms (0.7%). For the remaining two variants these discrepancies were decidedly bigger (RB—11% and RG—15%).

Table 5  
GZLM analysis of variance results

Effect	df	Wald statistics ( <i>W</i> )	<i>p</i>
Panel orientation (POR)	1	17.6	0.000028*
Panel colour pattern (PCP)	1	14.0	0.00018*
Object background colour (OBC)	2	2.4	0.30
POR × PCP	1	2.3	0.13
POR × OBC	2	8.2	0.016*
PCP × OBC	2	3.2	0.20
POR × PCP × OBC	2	0.3	0.85

\*The results are significant at a level 0.05.

In order to provide more insight with respect to this interaction's nature, a series of post hoc one-way GZLM analyses of variance were employed. It occurred that the OBC factor was insignificant for vertically oriented layouts ( $df = 2$ ,  $W = 1.3$ ,  $p = 0.53$ ) and statistically meaningful in the case of horizontal structures ( $df = 2$ ,  $W = 9.3$ ,  $p = 0.0094$ ). Additional one-way ANOVAs on two levels showed also that the differences between the OBC factor levels in horizontal arrangements were significant for two pairs: GB and RB ( $df = 1$ ,  $W = 5.8$ ,  $p = 0.016$ ) as well as GB and RG ( $df = 1$ ,  $W = 8.2$ ,  $p = 0.0043$ ). The discrepancy for the pair RB and RG was not statistically meaningful ( $df = 1$ ,  $W = 0.1$ ,  $p = 0.72$ ). Further investigations revealed that in green and blue panels no considerable differences were observed between vertical and horizontal orientations ( $df = 1$ ,  $W = 0.031$ ,  $p = 0.86$ ). The POR effect was significant for RB ( $df = 1$ ,  $W = 9.2$ ,  $p = 0.0024$ ) and RG ( $df = 1$ ,  $W = 17$ ,  $p = 0.000026$ ) types of graphical structures.

### 5.3. Error analysis

A total of 40 errors were made by subjects during the experiments, which accounts for 1.25% of all executed orders. The biggest proportion of wrong selections (2.1%) was noted for the unordered horizontal panel with red and

Table 6  
Results for the panel orientation (POR) factor ( $df = 1$ ,  $W = 17.6$ ,  $p = 0.000028$ )

No.	POR	<i>N</i>	Median (ms)	Mean (ms)	Standard error (ms)	Standard deviation (ms)	Minimum (ms)	Maximum (ms)
1.	Horizontal	1654	1625	2033	38	1546	609	28 579
2.	Vertical	1546	1860	2208	36	1397	625	15 188

Table 7  
Results for the panel colour pattern (PCP) factor ( $df = 1$ ,  $W = 14.0$ ,  $p = 0.00018$ )

No.	PCP	<i>N</i>	Median (ms)	Mean (ms)	Standard error (ms)	Standard deviation (ms)	Minimum (ms)	Maximum (ms)
1.	Ordered	1600	1781	2196	40	1612	625	28 579
2.	Unordered	1600	1688	2039	33	1327	609	13 360




Fig. 2. Results for the panel orientation ( $df = 1$ ,  $W = 17.6$ ,  $p = 0.000028$ ) and panel colour pattern ( $df = 1$ ,  $W = 14.0$ ,  $p = 0.00018$ ) factors.

green objects (H\_UO\_RG). The lowest number of errors (0.4%) was registered during testing UO vertical arrangements consisting of RB and RG items. A nonparametric chi-square test was used to verify the significance of differences in observed incorrect selections for analysed effects. The obtained results are put together in Table 9.

The results demonstrated no statistically meaningful ( $\alpha = 0.05$ ) differences in the number of errors made for the specified factors. The biggest discrepancy was observed in the case of the POR effect ( $p = 0.094$ ). The percentage of mistakes for vertical layouts amounted to 0.9% and for horizontal—1.5%.

## 6. Discussion

### 6.1. ANOVA results

The main goal of this study was to investigate the role of the basic preattentive mechanisms combined with some graphical interface characteristics on HCI task efficiency. It was found that in the analysed type of user tasks the PCP and POR happened to be statistically significant, while the

graphical OBC as a whole did not influence operation efficiency. Furthermore, some evidence of statistically meaningful interaction between the POR and OBC was provided. The considerable influence of the OBC factor on the task efficiency was noticed among the horizontal layouts.

#### 6.1.1. Panel orientation

A general predominance of the horizontal arrangements over vertical ones was observed. This fact was also reported in previous experiments by various researchers; however, the results in this respect were not always consistent. For example, Backs et al. (1987) reported significantly faster search times in vertical than in horizontal layouts. It should be noted that in their investigation, accomplishing the task for horizontal structures was more difficult than in the case of vertical configurations. The value associated with a horizontal menu item could be mistaken with the other adjacent menu text, whereas for vertical sets such a situation was rather impossible. In the works of Scott and Findlay (1991) and Shih and Goonetilleke (1998) horizontal configurations were operated faster than the vertical ones. In the latter case, additionally, this outcome was not dependent on the language (Chinese or English). Schaik and Ling (2001) obtained faster search times for menus located at the top or left of the screen, but very similar studies conducted by Pearson and Schaik (2003) yielded shorter acquisition times only for horizontal menu locations. In experiments analysed in the Grobelny et al. (2005) investigation, the horizontal structures were better than the vertical ones in terms of efficiency. There could be some possible explanations for the better user performance during testing horizontal layouts. They can be, to some extent, accounted for by the culturally conditioned habit of analysing objects horizontally from the left- to the right-hand side. Also the popularity of horizontally shaped menus and toolbars in numerous and widely spread computer programs may have an impact on the results. However, the most influential factor perhaps lies in the

Table 8  
Results for the interaction between panel orientation (POR) and object background colour (OBC) factors ( $df = 2$ ,  $W = 8.2$ ,  $p = 0.016$ )

No.	POR × OBC	<i>N</i>	Median (ms)	Mean (ms)	Standard error (ms)	Standard deviation (ms)	Minimum (ms)	Maximum (ms)
1.	H_GB	551	1641	2157	71	1661	688	12 437
2.	H_RB	553	1594	1983	73	1722	609	28 579
3.	H_RG	550	1633	1960	51	1195	625	10 125
4.	V_GB	512	1821	2171	57	1294	656	10 313
5.	V_RB	517	1875	2199	59	1342	718	10 204
6.	V_RG	517	1875	2254	68	1543	625	15 188




Fig. 3. Results for the interaction between panel orientation (POR) and object background colour (OBC) factors ( $df = 2$ ,  $W = 8.2$ ,  $p = 0.016$ ).

Table 9  
Error results analysis

Effect	<i>df</i>	$\chi^2$	<i>p</i>
Object background colour	2	1.9	0.39
Panel colour pattern	1	0.0	1.0
Panel orientation	1	2.8	0.094

shape of the human's field of view which resembles a horizontal ellipse for various wavelengths.

### 6.1.2. Panel colour pattern

From among two patterns used for placing colourful objects on the examined panels, the random disposition occurred to be more helpful in executing the search and select tasks. In the case of the chessboard pattern, the colour preattentive processing effect was decidedly less distinct and unexpectedly the difference between mean acquisition times was statistically significant.

### 6.1.3. Graphical OBC

Although the main ANOVA showed irrelevant influence of the object background effect, the additional analysis of the statistically significant interaction of POR and OBC factors demonstrated that the OBC effect considerably affected the operation mean times in horizontal structures. The significant differences between individual levels of this

Table 10  
GZLM one-way ANOVAs results for horizontal panels ( $df = 1$ )

Colourful panel type	Grey horizontal panel (H_GR) (mean = 2347 ms, median = 1763 ms, SD = 1927 ms, MSE = 68 ms, <i>N</i> = 803)
H_OR_GB	$W = 1.22$ , $p = 0.270$
H_OR_RB	$W = 9.65$ , $p = 0.00189^*$
H_OR_RG	$W = 23.0$ , $p = 0.00000163^*$
H_UO_GB	$W = 8.53$ , $p = 0.00349^*$
H_UO_RB	$W = 26.7$ , $p = 0.000000243^*$
H_UO_RG	$W = 17.3$ , $p = 0.0000311^*$

\*The results are significant at a level 0.05.

effect can be possibly attributed to the dissimilar contrasts applied in examined panels. The less salient effect of OBC for GB panels, in comparison with the other pairs of colours, can be probably explained by the lower colour contrast. The difference between RB and RG arrangements was statistically of no importance due to the similar reason: comparable contrast levels of these two pairs of colours.

Despite the unbalanced ANOVA, we also compared the earlier results gathered by Michalski et al. (2006) with the data registered during this examination. We found that mean operation times were decidedly shortest for colourful sets than for grey panels ( $df = 1$ ,  $W = 57$ ,  $p < 0.000001$ ).



The difference between the average values of operation times amounted to 317 ms (15%). Also the discrepancies in SD and mean standard errors (MSE) were substantial. The

values of SD and MSE for the layouts used in the work (Michalski et al., 2006) were bigger by 52% (765 ms) and 114% (30 ms), respectively, in comparison with those values computed in the present examination.

After conducting a series of additional one-way GZLM ANOVAs, it occurred (Tables 10 and 11 and Figs. 4 and 5) that horizontal coloured layouts were better than grey panels in all variants excluding the horizontal green and blue chessboard pattern configuration (H\_OR\_GB). The average times of searching and selecting a target were decidedly shorter in the case of colourful, unordered vertical arrangements (V\_UO) than homogeneously grey panels (V\_GR). On the other hand, the difference in mean times between vertical grey (V\_GR) and vertical ordered colourful configurations was statistically significant only for the green–blue pair of colours (V\_OR\_GB).

These results indicate that the use of various background object colours in most cases enables a user to search faster

Table 11  
GZLM one-way ANOVAs results for vertical panels (df = 1)

Colourful panel type	Grey vertical panel (V_GR) (mean = 2522 ms, median = 1902 ms, SD = 2518 ms, MSE = 89 ms, N = 801)
V_OR_GB	$W = 4.70, p = 0.0302^*$
V_OR_RB	$W = 2.65, p = 0.103$
V_OR_RG	$W = 2.97, p = 0.0847$
V_UO_GB	$W = 22.9, p = 0.00000169^*$
V_UO_RB	$W = 22.5, p = 0.00000205^*$
V_UO_RG	$W = 11.1, p = 0.000847^*$

\*The results are significant at a level 0.05.




Fig. 4. Acquisition times for horizontal, coloured and grey panels.




Fig. 5. Acquisition times for vertical, coloured and grey panels.

for particular items. This could probably be attributed to the preattentive properties of the colour feature.

## 6.2. Errors

The total number of incorrect selections was not big and the examined effects did not affect the measured errors. The obtained accuracy (1.25%) is close to the fault rates reported in other studies. For instance, in the works of Grobelny et al. (2005) and Schaik and Ling (2001) the error rate did not exceed 2%, while in the studies of Backs et al. (1987), Shih and Goonetilleke (1998), Pearson and Schaik (2003) and Michalski et al. (2006) the failures occurred in less than 3% of all trials. There were also investigations, in which the incorrect response rate was decidedly higher, for example, 4.8% reported by Scott and Findlay (1991) or even 7.5% obtained by Simonin et al. (2005). These discrepancies can be, in part, credited to diverse experimental conditions used in these works. In the experiments presented by Michalski et al. (2006) the error rate observed for grey panels having the same configuration as the structures tested in the present paper amounted to 0.99% and the difference with colourful panels was statistically irrelevant ( $df = 1$ ,  $\chi^2 = 0.58$ ,  $p = 0.45$ ).

## 6.3. Limitations

The present study was based on young subjects familiar with the computer software, so it is unclear whether similar results would be obtained in the case of novice users. It should not be forgotten that the findings relate to fairly simple tasks involving both visual search and the computer mouse movement where the given layouts are visible solely during the selection process. The research was also restricted to the 'point and click' method and no other than square buttons with Latin characters and Arabic numbers were taken into account. One should also be cautious at drawing general conclusions about the role of preattentive visual information processing in the context of HCI task efficiency for the sake of limited number of colours used and only two types of panel configurations. The demonstrated experiments were carried out in the laboratory environment on the structures that are not used in computer programs and it is not known how the user will perform in a real environment.

## 6.4. Future research

The presented outcomes should be considered as a basis for further empirical investigations of the nature of the various attention deployment attributes in human–computer communication. One may verify if, and to what extent, other well-known preattentive features have their importance in the panel operation efficiency. Subsequent research may also include other graphical objects, configurations, panel locations, comparison of beginners and advanced computer users. In light of the earlier research (e.g.,

Gramopadhye et al., 2002; Nickles et al., 2003), it seems worthwhile to include the training factor in early vision search studies. Similar experiments can be as well conducted by means of other pointing devices or touch screens. Apart from the analysis of objective empirical data (acquisition times, errors), it is interesting to learn what are the subjective ratings of the individual panel layouts. And finally, the eye tracking systems and functional magnetic resonance imaging devices could substantially broaden the analysis.

## 7. Conclusions

The presented studies confirm that the preattentive visual processing mechanisms may play an important role and should be explicitly incorporated into the HCI field. One may argue that these results are trivial and could be easily foreseen since one could presume that the principal results obtained in the classical visual search research would apply also in the specific HCI environment. Nevertheless, we are convinced that such hypotheses should be formally verified given the specific conditions that included simultaneously panel visual search and visually controlled motor activities typical for direct manipulation. The obtained results partially confirm our scepticism, since it occurred that OBC variable was significant only for horizontal panels. It means that the orientation of dimensionally restricted panels can considerably modify the colour visual preattentive processing. From a practical point of view, if designers want to take full advantage of the colour early vision process in graphical user interfaces they should rather avoid vertical layouts. We also proved that the colour preattentive visual processing is less salient in structures considerably spatially diversified, so such arrangements rather should not be applied in practice. Additionally, for the sake of higher search and click efficiency the practitioners should consider using higher colour contrasts.

The results obtained in this study seem to be giving a good reason for conducting more research combining standard human–computer activities with early vision processes. The further investigations in this area may lead to supplementing the existing graphical interface design guidelines, help in understanding the nature of HCI and contribute to improvements in comprehensive cognitive models (e.g., Card et al., 1983; Newell, 1990; Anderson, 1993; Anderson et al, 1997; Kieras and Meyer, 1997; Byrne, 2001) that were proposed in the domain of HCI.

## References

- Al-Harkan, I.M., Ramadan, M.Z., 2005. Effects of pixel shape and color, and matrix pixel density of Arabic digital typeface on characters' legibility. *International Journal of Industrial Ergonomics* 35, 652–664.
- Anderson, J.R., 1993. *Rules of the Mind*. Lawrence Erlbaum, Hillsdale, NJ.
- Anderson, J.R., Matessa, M., Lebiere, C., 1997. ACT-R: a theory of higher level cognition and its relation to visual attention. *Human–Computer Interaction* 12, 439–462.

- Backs, R., Walrath, L., Hancock, A., 1987. Comparison of horizontal and vertical menu formats. In: *The 31st Annual Meeting of the Human Factors Society. Human Factors and Ergonomics Society*, Santa Monica, pp. 715–717.
- Bichot, N.P., Rao, S.C., Schall, J.D., 2001. Continuous processing in macaque frontal cortex during visual search. *Neuropsychologia* 39, 972–982.
- Bichot, N.P., Rossi, A.F., Desimone, R., 2005. Parallel and serial neural mechanisms for visual search in macaque area V4. *Science* 308, 529–534.
- Byrne, M.D., 2001. ACT-R/PM and menu selection: applying a cognitive architecture to HCI. *International Journal of Human–Computer Studies* 55, 41–84.
- Card, S.K., Moran, T.P., Newell, A., 1983. *The Psychology of Human–Computer Interaction*. Lawrence Erlbaum, Hillsdale, NJ.
- Change, D., Dooley, L., Tuovinen, J., 2002. Gestalt theory in visual screen design. A new look at an old subject. In: *Proceedings of the Seventh World Conference on Computers in Education*. ACM, New York, pp. 5–12.
- Colby, C.L., Goldberg, M.E., 1999. Space and attention in parietal cortex. *Annual Review of Neuroscience* 22, 319–349.
- Deininger, R.L., 1960. Human factors engineering studies of the design and use of pushbutton telephone sets. *Bell System Technical Journal* XXXIX, 995–1012.
- Drury, C.G., Hoffmann, E.R., 1992. A model for movement time on data-entry keyboards. *Ergonomics* 37, 129–147.
- English, W.K., Engelbart, D.C., Berman, M.L., 1967. Display selection techniques for text manipulation. *IEEE Transactions on Human Factors in Electronics HFE-8*, 5–15.
- Fitts, P.M., 1954. The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Experimental Psychology* 49, 389–391.
- Fitts, P.M., Peterson, J.R., 1964. Information capacity of discrete motor responses. *Journal of Experimental Psychology* 67, 103–112.
- Fleetwood, M.D., Byrne, M.D., 2002. Modeling icon search in ACT-R/PM. *Cognitive Systems Research* 3, 25–31.
- Goldberg, J.H., Kotval, X.P., 1999. Computer interface evaluation using eye movements: methods and constructs. *International Journal of Industrial Ergonomics* 24, 631–645.
- Gramopadhye, A.K., Drury, C.G., Jiang, X., Sreenivasan, R., 2002. Visual search and visual lobe size: can training on one affect the other? *International Journal of Industrial Ergonomics* 30, 181–195.
- Greenstein, J.S., Arnaut, L.Y., 1988. Input devices. In: Helander, M. (Ed.), *Handbook of Human–Computer Interaction*. Elsevier, Amsterdam, pp. 485–519.
- Grobelny, J., Karwowski, W., Drury, C., 2005. Usability of graphical icons in the design of human–computer interfaces. *International Journal of Human–Computer Interaction* 18, 167–182.
- Guild, J., 1931. The colorimetric properties of the spectrum. *Philosophical Transactions of the Royal Society of London A* 230, 149–187.
- Hoffmann, E.R., Lim, J.T.A., 1997. Concurrent manual–decision tasks. *Ergonomics* 40, 293–318.
- Hornof, A.J., 2004. Cognitive strategies for the visual search of hierarchical computer displays. *Human–Computer Interaction* 19, 183–223.
- Kieras, D.E., Meyer, D.E., 1997. An overview of the EPIC architecture for cognition and performance with application to human–computer interaction. *Human–Computer Interaction* 12, 391–438.
- Klein, R.M., Farrell, M., 1989. Search performance without eye-movements. *Perception and Psychophysics* 46, 476–482.
- Kroemer, K.H.E., 2001. Keyboards and keying. An annotated bibliography of the literature from 1878 to 1999. *Universal Access in the Information Society* 1, 99–160.
- Kustov, A.A., Robinson, D.L., 1996. Shared neural control of attentional shifts and eye movements. *Nature* 384, 74–77.
- Lee, P.U.J., Zhai, S., 2004. Top-down learning strategies: can they facilitate stylus keyboard learning? *International Journal of Human–Computer Studies* 60, 585–598.
- Li, J.C.H., Sampson, G.P., Vidyasagar, T.R., 2007. Interactions between luminance and colour channels in visual search and their relationship to parallel neural channels in vision. *Experimental Brain Research* 176, 510–518.
- Li, Y., Chen, L., Goonetilleke, R.S., 2006. A heuristic-based approach to optimize keyboard design for single-finger keying applications. *International Journal of Industrial Ergonomics* 36, 695–704.
- Lindberg, T., Näsänen, R., 2003. The effect of icon spacing and size on the speed of icon processing in the human visual system. *Displays* 24, 111–120.
- Liu, B., Francis, G., Salvendy, G., 2002. Applying models of visual search to menu design. *International Journal of Human–Computer Studies* 56, 307–330.
- MacKenzie, I.S., 1991. Fitts’ law as a performance model in human–computer interaction. Ph.D. Thesis, University of Toronto.
- MacKenzie, I.S., 1992. Fitts’ law as a research and design tool in human–computer interaction. *Human–Computer Interaction* 7, 91–139.
- MacKenzie, I.S., Zhang, S.X., 1999. The design and evaluation of a high-performance soft keyboard. In: *CHI 1999: Human Factors in Computing Systems*. ACM, New York, pp. 25–31.
- Martin, G.L., 1988. Configuring a numeric keypad for a touch screen. *Ergonomics* 31, 945–953.
- Michalski, R., 2005. *Komputerowe wspomaganie badań jakości ergonomicznej oprogramowania [Computer-aided research of software ergonomic quality]*. Ph.D. Thesis, Wrocław University of Technology.
- Michalski, R., Grobelny, J., Karwowski, W., 2006. The effects of graphical interface design characteristics on human–computer interaction task efficiency. *International Journal of Industrial Ergonomics* 36, 959–977.
- Murata, A., Furukawa, N., 2005. Relationships among display features, eye movement characteristics, and reaction time in visual search. *Human Factors* 47, 598–612.
- Murata, A., Iwase, H., 2001. Extending Fitts’ law to a three-dimensional pointing task. *Human Movement Science* 20, 791–805.
- Näsänen, R., Ojanpää, H., 2003. Effect of image contrast and sharpness on visual search for computer icons. *Displays* 24, 137–144.
- Näsänen, R., Karlsson, J., Ojanpää, H., 2001a. Display quality and the speed of visual letter search. *Displays* 22, 107–113.
- Näsänen, R., Ojanpää, H., Kojo, I., 2001b. Effect of stimulus contrast on performance and eye movements in visual search. *Vision Research* 41, 1817–1824.
- Nelder, J.A., Wedderburn, R.W.M., 1972. Generalized linear models. *Journal of the Royal Statistical Society A* 135, 370–384.
- Newell, A., 1990. *Unified Theories of Cognition*. Harvard University Press, Cambridge, MA.
- Nickles III, G.M., Melloy, B.J., Gramopadhye, A.K., 2003. A comparison of three levels of training designed to promote systematic search behavior in visual inspection. *International Journal of Industrial Ergonomics* 32, 331–339.
- Niemelä, M., Saarinen, J., 2000. Visual search for grouped versus ungrouped icons in a computer interface. *Human Factors* 42, 630–635.
- Ojanpää, H., Näsänen, R., 2003. Effects of luminance and colour contrast on the search of information on display devices. *Displays* 24, 167–178.
- Park, J., Han, S.H., Yang, H., 2006. Evaluation of cursor capturing functions in a target positioning task. *International Journal of Industrial Ergonomics* 36, 721–730.
- Pashler, H., 1987. Detecting conjunction of color and form: re-assessing the serial search hypothesis. *Perception and Psychophysics* 41, 191–201.
- Pearson, R., Schaik, P., 2003. The effect of spatial layout of and link color in web pages on performance in a visual search task and an interactive search task. *International Journal of Human–Computer Studies* 59, 327–353.
- Plamondon, R., Alimi, A.M., 1997. Speed/accuracy trade-offs in target-directed movements. *Behavioural and Brain Sciences* 20, 279–349.

- Ramakrishnan, A.S., Cranston, R.L., Rosiles, A., Wagner, D., Mital, A., 1999. Study of symbols coding in airway facilities. *International Journal of Industrial Ergonomics* 25, 39–50.
- Schaik, P., Ling, J., 2001. The effects of frame layout and differential background contrast on visual search performance in web pages. *Interacting with Computers* 13, 513–525.
- Scott, D., Findlay, J.M., 1991. Visual search and VDUs. In: Brogan, D. (Ed.), *Visual Search II*. Taylor & Francis, London.
- Sears, A., Revis, D., Swatski, J., Crittenden, R., Shneiderman, B., 1993. Investigating touchscreen typing: the effect of keyboard size on typing speed. *Behaviour and Information Technology* 12, 17–22.
- Sears, A., Jacko, J.A., Chu, J., Moro, F., 2001. The role of visual search in the design of effective soft keyboards. *Behaviour and Information Technology* 20, 159–166.
- Shih, H.M., Goonetilleke, R.S., 1998. Effectiveness of menu orientation in Chinese. *Human Factors* 40, 569–576.
- Shneiderman, B., 1982. The future of interactive systems and the emergence of direct manipulation. *Behaviour and Information Technology* 1, 237–256.
- Shneiderman, B., 1983. Direct manipulation. A step beyond programming languages. *IEEE Computer* 16, 57–69.
- Simonin, J., Kieffer, S., Carbonell, N., 2005. Effects of display layout on gaze activity during visual search. In: *INTERACT 2005: IFIP TC13 International Conference on Human–Computer Interaction*. Springer, Berlin, Heidelberg, pp. 1054–1058.
- Soukoreff, R.W., MacKenzie, I.S., 2004. Towards a standard for pointing device evaluation, perspectives on 27 years of Fitts' law research in HCI. *International Journal of Human–Computer Studies* 61, 751–789.
- Treisman, A., 1982. Perceptual grouping and attention in visual search for features and for objects. *Journal of Experimental Psychology: Human Perception and Performance* 8, 194–214.
- Wolfe, J.M., DiMase, J.S., 2003. Do intersections serve as basic features in visual search? *Perception* 32, 645–656.
- Wolfe, J.M., Horowitz, T.S., 2004. What attributes guide the deployment of visual attention and how do they do it? *Nature Reviews Neuroscience* 5, 495–501.
- Wright, W.D., 1928. A re-determination of the trichromatic coefficients of the spectral colours. *Transactions of the Optical Society* 30, 141–164.
- Wurtz, R.H., Goldberg, M.E., Robinson, D.L., 1982. Brain mechanisms of visual attention. *Scientific American* 246, 124–135.